

GEORGIEVA, S1.

Leukocytoclasia or the so-called Abbaiformen of leukocytes or preerythematous cells. Dermato vener Sofia 1 no.3:14-16 '62.

1. Iz Katedrata po kozhni i venericheski bolesti pri VMI, Sofia (rukovoditel na katedrata prof. L. Popov).

GEORGIEVA, SL.

POPOV, L.

Bulgaria

Professor

Head of the Department of Skin and Venereal Diseases
of the Higher Medical Institute (Vissh Meditsinski
Institut), Sofia

Sofia, Dermatologiya i Venerologiya, supplement of
Suvremenna Meditsina, No 1, 1962, pp 6-11.

"Evaluation of the Cytodiagnostic Method in Malignant
Tumors of the Skin"

Co-authors:

~~BALABANOV, Kr.~~, Department of Skin and Venereal Dis-
eases of the Higher Medical Institute
GEORGIEVA, SL., Department of Skin and Venereal Dis-
eases of the Higher Medical Institute.

GEORGIEVA, Sl.; DIMITROVA, I.

Ichthyosis-like genodermatosis stimulating the so-called
pustulosis subcornealis in combination with epilepsy.
Dermato vener Sofia 2 no.3; 123-217 '63.

1. Iz Katedra po kozhni i venericheski bolesti pri VMI-
Sofia (rukov. na katedrata prof. Kr.Balabanov).

GEORGIA, ST.

Cytopathological observations on molluscum contagiosum. Dermatovenereol. Sofia 2 no. 1:27-30 '63.

1. From the Chair of Skin and Venereal Diseases, the Higher Medical Institute, Sofia (Head of the Chair: Prof. Kr. Balabanov).

GEORGIEVA, SI.

The Abcher syndrome. Dermato vener Sofia 3 no. 1:39-41 '64.

1. Chair of Skin and Venereal Diseases at the Higher Medical Institute, Sofia (Acting Head: Prof. Kr. Bolabancov).

MIREV, D.; ZLATEVA, Iv.; GEORGIEVA, T.

Concentration of anthracite coal from the village of Draganitsa
deposits through the flotation method. Izv Inst khim BAN 7:303-308
'60. (KEAI 10:9)

1. Khimicheski institut pri BAN.

(Anthracite coal) (Flotation)

STEFANOV, Zh.; GEORGIEVA, TSv.

Apropos of complications related to artificial interruption
of pregnancy from data of the 1st Maternity Home "Tina Kirkova".
Akush.Ginek.3 no.3:8-12 '64.

BULGARIA

GEORGIEVA, Y. D., Genetic Section, Institute of Biology, Bulgarian Academy of Sciences

"Fluorescence Microscope Observations of the ADN in the Embryonic Sac of Lilium"

Sofia, Doklady Bolgarskoy Akademii Nauk, Vol 19, No 5, 1966, pp 425-428

Abstract: [French article] The behavior of the ADN in the Feulgen-negative nucleus of the oosphere has been investigated by an ultra-sensitive fluorescence microscope method. The author studied castrated and isolated flowers of Lilium regale and L. candidum, and the development of the embryonic sac and the associated changes in the ADN were followed in pistils 1, 2, 3, 5, 6, 10, 11, and 15 days after efflorescence. The article gives a comprehensive description of the procedures and presentation of the observed findings. Among others, during the development of the embryonic sac of Lilium there appear a progressive disappearance of the ADN reaction in the nuclei of the oosphere of the synergids and polar nuclei, the disappearance being delayed by the use of Schiff's reagents which color the nuclei yellow. If the embryonic sac remains unfertilized until the 5-th or 6-th day following the efflorescence, the nuclei of the oosphere acquire again an ADN positive reaction which is connected with the condensation of the nuclear matter and the homogenization of the nuclear content. A complete analysis indicates that the Feulgen-negative nuclei of mature oospheres of Lilium still con-

Sofia, Doklady Bolgarskoy Akademii Nauk, Vol 19, No 5, 1966, pp 425-428

tain ADN although it cannot be ascertained even with fluorescent Schiff reagents for reasons which are not clear yet; it reappears again during the dying out of unfertilized oospheres during the nuclear pycnosis.

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R000514730010-0

GEORGIEVA, D., inzh.; GEORGIEVA, Z., inzh.-khim.

New protective media against corrosion for asbestos-cement pipes.
Stroitelstvo 9 no.5:23-26 S-O '62.

GEORGIEVA-SIOIKOVA, STEFANA.

Ognishteto v bulgarskita bit. Sofia, Izd. na Bulgarskata akademiia na naukite, 1956. 221 p. (p.133-213: plates, part col.) IFireplaces in the Bulgarian mode of life. bibl. I

NN

Not in DLC

SO: Monthly List of East European Accessions (EEAL) IC, Vol. 6, no. 10, October 1957. Uncl.

Plant Genetics

BULGARIA

GEORGIEVA-TODOROVA, I., [Affiliation not given]

"Cytogenetic Study of Interspecies Hybrids *H. Annuus* x *H. Ruderalis*"

Sofia, Doklady Bolgarskoy Akademii Nauk, Vol 19, No 3, 1966, pp 213-216

Abstract: [English article] Over the past several years the author tried to cross the cultivated *H. annuus* sunflower with various annual diploid species, including *H. ruderalis*. The article describes in details experiments involving the last mentioned species, and the results indicate that 1) *H. annuus* is easily crossed with *H. ruderalis*; 2) the variety in hybrids is strongly pronounced as regards certain traits: nature of stalk, height of plant, size of leaves and leaf stems, shape and color of seeds, etc.; and 3) the meiosis of pollen mother cells of the investigated plants proceeds normally as a rule. Only those resembling more the paternal species reveal certain deviations. No references. (Manuscript received, 10 Dec 65.)

APPROVED FOR RELEASE: 08/31/2001

CIA-RDP86-00513R000514730010-0

Doc Jour: Ref Zhur-Biol., No 20, 1958, 90426.

Author : Georgiyeva-Todorova, Yordanka.

Inst : The Institute of Plant Cultivation.

Title : Experiments on the Overcoming of Crossbreeding Resistance Between *Helianthus annuus* and *Helianthus tuberosus*. Preliminary Report.

Orig Pub: Izv. In-ta rasteniyev"dstvo, B"lg. AN, 1957, no. 4, 147-161 (Bulgarian; res. Russ.; Eng.)

Abstract: Young sunflower seedlings in the cotyledon stage were grafted on young plants (from tubers) of the Jerusalem artichoke having 10-12 leaves and occasionally on older plants before their blossoming. A few seeds were obtained as a result of the pollination of the grafts with Jerusalem artichoke pollen, while the pollination of the

Card : 1/2

HUNGARY

GEORGIEV, B., DRUMEN, D.; Veterinary Medical College, Department of Pharmacology, Toxicology and General Therapy (chairman: DRUMEN, D., M., docent) [original language version not given], Sofia.

"The Effect of Certain Neuroplegic and Tranquilizer Compounds on Ruminants."

Budapest, Acta Veterinaria Academiae Scientiarum Hungaricae, Vol XVI, No 3, 1966, pages 269-272.

Abstract: [German article, authors' German summary modified] The effect of clonazepam (1), promazine (2), meprobamate (3), benactizine (4), tri-methoxazine (5) and methylpentinol (6) was compared with that of propionyl-promazine (7) and chlorpromazine (8) on sheep and cattle, both after s.c. administration of a single dose and in a state of excitation evoked with amphetamine (a) and penaldrin (b) (amphetamine and strychnine). A pronouncedly relaxing and taming effect was produced by 2, 3 and 6, in sheep, with decreased motility and pain reaction after electric stimulation. In addition, movements of the rumen are not inhibited by 3; sleepiness is produced by 6. 1 and 5 have a slight relaxing effect and produce excitation in high doses. Rumen activity is slightly inhibited by 4 and strongly so by 5. The chronopotential excitation curves, registered at certain flexor and extensor areas of the forelimbs, are near the coordinate system under the influence of b and a, while they are further away after administration of the neuroplegics and tranquillants mentioned. 7 has a stronger effect than the compounds tested. In cattle, the

1/2

2/2

GEORGIYEVA-TODOROVA, Iordanka (Bolgariya); SVESHNIKOV, B.Ye. (translator)

Remote hybridisation of various species of Helianthus.
Agrobiologiya no.6:861-866 M-D '59. (MIRA 13:4)

1. Bolgarskaya akademiya nauk, Institut rasteniyevodstva,
Sofiya.

(Sunflowers)

GEORGIEVA-TODOROVA, Iordanka

Cytogenetic characteristics of the interspecies hybrids *Hellianthus annuus* and *H. maximiliani*. Izv Tsentral lab genet 1: 25-36 '63.

GEORGIVNA, R. G.
R. G. AM

182

KOSTOV (D.) & GEORGIVNA (M. R.). Устойчивость на мозаични вирус. I. Устойчивост на мозаични вирус, получени чрез спорогамия. II. Наследственост на мозаичната резистенция в комбинацията с мозаичната резистенция на *Nicotiana glauca* (L.) W. & A. [Resistance to Tobacco mosaic virus. I. Tobacco varieties resistant to mosaic virus experimentally produced. II. Inheritance of necrotic reaction and plant-breeding value of the strain *Nicotiana glauca* var. *viridis*.]—*Изв. Българ. Науч. Акад.*, София, 1944. [English translation. *Centr. agric. exp. centr. Inst., Sofia*, 1944. 56 pp., Sofia, 1944. [English translation. Received July, 1944.]

In continuation of his studies on tobacco mosaic (R.A.M., xvii, p. 348) the first author states that for breeding resistant varieties reacting with local necrosis, the theoretical aspects of which were previously discussed, he tried two different hybrids, (1) *Nicotiana rustica* R.L., a variety reacting with local lesions only, \times *N. glauca*, and (2) *N. glauca* var. *Basma* \times *N. glauca*. They were back-crossed either twice (1) or once (2) to *N. glauca* var. *Basma* (used as female parent since it was found that the pollen from the hybrids gave more uniform results), then selfed, and the offspring selected in these and subsequent generations were those which reacted with local necrosis only, were most tobacco-like, and were fertile. From the F_2 generation from hybrid (1) a desirable variety homozygous for local necrosis, having 48 chromosomes and named *N. glauca* var. *viridis*, was selected for use in succeeding crosses. The object of the second series of experiments done in collaboration with R. Georgivna was to transfer the necrotic reaction of *N. glauca* var. *viridis* to

the background of commercial varieties. Using the same selecting principles as before a cross between this new variety and No. 36 (Nevrocoop Basma) gave in the F_2 generation three families homozygous for local necrosis, while another cross with the variety American White gave a single homozygous family in the F_2 . Progeny of the hybrids between *N. tabacum* var. *virii* and the large-leaved varieties Virginia Brightleaf and Florida Black Shank Res. No. 301, while showing only local necrosis, had a large proportion of abortive pollen, and no results are given beyond the F_2 .

The F_1 hybrid (*N. tabacum* var. *virii* × American White above) was used as one parent in a series of triple crosses with the following varieties, some of which are small-leaved like the parents and some large-leaved, Ustinaky No. 4, Trapesund, No. 36 Nevrocoop Basma, Dubek, Dostobika Basma, Havana, Gold Dollar, Maryland Broadleaf, Virginia Brightleaf, One Sucker, *N. tabacum* var. *macrophylla*, and *N. syrii*. The F_1 hybrid (*N. tabacum* var. *virii* × No. 36 Nevrocoop Basma) was similarly used with Varatik, Virginia, Fawcett special, One Sucker, and *N. tabacum macrophylla*.


P. 11

212

The progeny were selfed and gave rise to a large population of desirable forms all, or a large proportion, having the local necrotic character (some homozygous) which can be used for further experiments together with hybrids between *N. tabacum* var. *viridis* and the tolerant American variety *Ambakema* (*ibid.*, xii, p. 308; xiii, p. 499, *et passim*). Such families, heterozygous, however, in respect of other morphological and physiological characters, may be used in different locations under varying environmental conditions for isolating desirable resistant varieties suitable to the different regions.

It was noted during the experiments that some plants reacted with 'flowing necrosis' at temperatures lower than 30° to 35° C. This, together with the fact that plants apparently similar genetically and inoculated under the same conditions at the same time, may react differently, suggests that the manifestation of flowing necrosis may depend on the genetic make-up as well as on temperature. If a gene-modifier is responsible for reaction at the lower temperature, then it is considered likely that a gene combination might be obtained which would raise the critical temperature so that the plant would react only at temperatures much higher than 30° to 35° C.

GEORGIEVSKIY, H. S.



GEORGIEVSKI, D.; UZUNOVSKI, M.

Chemical composition of the Prilep type of tobacco matured under extremely dry conditions. p. 73.

BIJTEN DOKUMENTACIJE. TEHNIKA SAOBRAČAJNIH SREDSTAVA. (Društvo hemičara i tehnologa NR Bosne i Hercegovine. GLASNIK) Sarajevo, Yugoslavia. Vol. 7, 1958.

Monthly List of East European Accessions (EEAI) LC Vol. 9, no. 2, Feb. 1960.

Uncl.

GEORGIEVSKI, K

YUGOSLAVIA/Cultivated Plants - Commercial. Oil-Bearing.
Sugar-Bearing.

M

Abs Jour : Ref Zhur Biol., No 18, 1958, 82462

Author : Georgiyevski, Kune

Inst :

Title : Ecological Conditions of Tobacco Cultivation in the Re-
gion of the City of Prilep. Part 1.

Orig Pub : Tutun., 1957, No 7-8, 249-250

Abstract : The first part sets forth the results of similar investi-
gations of soils and climate in Prilepskiy rayon (Mace-
donia). Factors of soil formation are examined (relief,
rock composition, hydrography, climate, natural vegeta-
tion and biological factors). Tables and diagrams cha-
racterizing soil and climate are cited.

Card 1/1

- 100 -

GEORGIEVSKI, K.

Category : CULTIVATED PLANTS COMMERCIAL. Classification. SUPER-
BASIC.
Abstr. Jour. : RIF ZHURN-BUL., 21, 1963, NO 96103
Author : Georgiyevski, Kura
Title : Agroclimatic Conditions of Tobacco Cultivation in the
Urban Districts. Part II
Orig. Ed. : Tutun, 1957, 7, No. 9-10, 333-372
Control : No abstract

Page 1/1

177573 COLEOPTERA: STAPHYLINIDAE: Cleitronus. Sugar-Hearing

Doc. 5-000, FBI 44-38861-109, 11-19-53, NY-65104

Author : George Yevich, Nov.

The Unit.

Ecological Conditions of Tobacco Raising in the
Prilep District. Part III. The Effect of Climate
and Soil on Tobacco Quality.

Order, No. : Tutun, 1957, 7, No.11, 387-401

Abstract of the abstract

Card: 1/1

GEORGIJEVSKI, M., Dr.; PANOVA, G.; MANEVSKI, T.

Effect of housing conditions on health. Higijena, Beogr. 7 no.1-4:
450-457 1955.

1. Centralni higijenski savod, Skoplje.

(HOUSING

eff. of housing cond. on health (Ser))

(HEALTH,

same)

GEORGIEVSKI, A.

"Free-Fall Parachuting," p. 62 (KRIDLA VLASTI, No. 3, February 1954, Praha, Czechoslovakia).

SO: Monthly List of East European Accessions, LC, Vol. 3, No. 5, May 1954, Unclassified

GEORGIEVSKY, A.

"Mechanics, the Basis of Aerodynamics" (To be Contd.) p. 63 (KRIDLA VLASTI, No. 3, February 1954, Praha, Czechoslovakia).

SO: Monthly List of East European Accessions, LC, Vol. 3, No. 5, May 1954, Unclassified

GEORGIEVSKY, A.

GEORGIEVSKY, A. Static calculation of ribbed domes. (Conclusion) p. 105
Vol 4, no 2, 1956 STAVENIC-Y CASOPTS Bratislava, Czechoslovakia

SOURCE: EAST EUROPEAN ACCESSIONS LIST (EEAL) VOL 6 NO 4 APRIL 1957

GEORGIJEV, Krceto; SERAFIMOV, Koco

Contribution to the treatment of cholecystopathies. Srpski arh.
celok. lek 87 no.11:1032-1040 N '59.

1. Hirurska klinika Medicinskog Fakulteta u Skoplju, Direktor:
prof. dr Bogosav Dragojevic.
(GALLBLANDER dis.)

SERAFIMOV, Koco; GEORGIJEV, Krsto; SERAFIMOVA, Elisaveta

Carcinoma of the biliary tract. God. Zborn. Med. Fak. Skopje
no. 10:79-83 '63.

1. Univerzitetska hirurška klinika - Skopje (Upravnik prof.
d-r B. Dragojevic) i Univerzitetska interna klinika - Skopje
(upravnik prof. d-r D. Arsov).

GEORGIJEV, Krsto; SERAFIMOV, Koco; DAVCEV, Penco; GRUJEV, Vojislav

Stomach cancer -- 10 years clinical experience. God.Zborn.
Med.Fak.Skopje no.10:165-172 '63.

1. Univerzitetska Hirurska klinika (Upravnik prof. d-r
B. Dragojevic) i Univerzitetska Interna klinika (Upravnik
prof. d-r D. Arsov), Skopje.

SPRING 1957

Category: Yugoslavia / Diseases of Farm Animals, Diseases of Undetermined Etiology V-4

Abs Jour: Refer. Zhur-Biologiya, No 16, 1957, 72326

Author : Georgijev T

Inst : Not given

Title : Clinical and Chemical Laboratory Investigations of the Chronic Vesical Hematuria

Orig Pub: Veterinaria (Jugosl.), 1955, 4, No 4, 663-668

Abstract: In Bulgaria, in some of the mountain regions 10-90 percent of the cattle of two years of age and over suffer from chronic hematuria. In the ill animals it was established by cystoscopy that the kidneys excrete urine without blood, but the blood enters into the urine from the bladder, which contains hemorrhagic points in its mucous mebranes. After the typical symptoms of hematuria subside, there appears frequently a so-called "white hematuria", where the animals urinate with great strain; the urin however does not contain erythrocytes or proteins. In such cases cystoscopy reveals many wartlike

Card : 1/2

-1-

Category: Yugoslavia / Diseases of Farm Animals, Diseases of Undetermined Etiology 7-4

Abs Jour: Refer. Zhur-Biologiya, No 16, 1957, 72326

growths and the absence of hemorrhagic points. The author differentiates the following clinical forms of the disease: microhematuria, acute form, remittant and verrucose. The disease promoting factor appears to be a prolonged intake of hay and grasses of small nutritional value with a large percentage of poisonous plants, inferior zoohygienic surroundings and helminthic invasions. The anemia in the cattle is of a regenerative hyperchromic character. No anisocytosis or poikilocytosis was discovered in any of the cases of anemia. In 85 healthy animals and 106 with hematuria the content of Ca, P, K, and SiO_2 was determined in the blood. In the ill there was no increase in Ca, in some cases there was a slight increase in total P, but the SiO_2 was increased by 25 percent in comparison with the healthy animals. In the sick animals there was 63-197 mg percent of SiO_2 in the urine, in the healthy 26-103 mg percent. The author concludes that they hay in the regions where hematuria was observed contains a larger quantity of colloidal SiO_2 and that there are some factors conducive to the resorption and larger elimination of SiO_2 in the urine.

Card : 2/2

-2-

SECRETARY, I.

Category: Yugoslavia / Diseases of Farm Animals. Diseases of Undetermined Etiology. v-4

Abs Jour: Refer. Zhur-Biologiya, No 16, 1957, 72327

Author : Georgijev T.

Inst : Not given

Title : The Investigation of the Role of Saponin in the Vesical Hematuria in Cattle

Orig Pub: Veterinaria (Jugosl.), 1955, 4, No 4, 669-673

Abstract: Previously the author stated the hypothesis that saponins facilitate the intestinal resorption of SiO_2 and that the hay from regions where hematuria in cattle is wide-spread contains saponin. Cows with hematuria were fed with hay from safe and unsafe regions, and a few days later received saponin (I) from horse chestnut in 3 mg/kg doses twice daily in the course of five days. It was shown that in feeding I and hay from the unsafe region, the latent form of hematuria changes into a clinical "provokes Hematuria", and the clinical form becomes so acute that the life of the animal is endangered. The administration of I and hay from the safe regions does not produce

Card : 1/2

-3-

Category: Yugoslavia / Diseases of Farm Animals. Disease of Unde- v-4
termined Etiology.

Abs Jour: Refer. Zhur-Biologiya, No 16, 1957, 72327

Hematuria. Similar investigations were conducted with healthy cattle and also with cows suffering from microhematuria. It was shown that I increases the absorption of SiO_2 contained in the grasses by the organism. It is the author's opinion that I is not the direct cause of hematuria, but provokes it in conjunction with other predisposing factors (bad zootechnical conditions, inadequate feeding, parasitic invasions etc.) The unknown factor, causing hematuria, evidently represents a high-molecular compound, the re-sorption of which is facilitated by the presence of I in the hay. This unknown factor is excreted by the kidneys and, evidently, remains for a long time in the bladder, where it initially produces local irritation, then changes in capillaries and the formation of hemorrhages. Therefore, the hematuria may be viewed as a chronic toxicosis.

Card : 2/2

-4-

GEORGIJEV, V., inz. (Skopje)

"Connection schemes in electrical engineering " by Z. Vistrucka and
I. Uremovic. Reviewed by V.Georgijev. Zavarivac 6 no.2/3:49-50 '61.

1. Fabrika "Jug", Skopje.

GEORGIJEVIC, Albert, Dr. (Samobor)

The House of people's Health at Samobor; the development of public health service in Samobor District. Narodno zdrav., Beogr. 11 no. 7-8:235-242 '55.

(PUBLIC HEALTH

in Samobor district, Yugosl. (Ser))

(NATIONAL HEALTH PROGRAMS,

in Samobor District, Yugosl. (Ser))

GEORGIJEVIC, E.

Influence of the altitude and exposure on the appearance of
Ips typographus L. Rad Sumar sekul Bim 7 no.7:107-195 '62

GEORGIJEVSKIJ, A.S., prof. general-lajtnant med. sluzbe

On the importance and principles of maneuvers of military forces and
medical units under modern conditions. Vojnosanit. pregl. 19 no.11:
757-761 N '62.

(MILITARY MEDICINE)

GEORGIONOV, K.V.

PHASE I TREASURE ISLAND BIBLIOGRAPHIC REPORT

Call No.: AF574255
AID 132 - I

BOOK

Authors: BAYRASHEVSKIY, A.M., Eng. Capt. of the Navy, ALEKSANDROVSKIY, V.V.,
ASHCHEULOV, V.P., GEORGIONOV, K.V., DITRIKH, K.F., SYLENINOV, B.V.,
and SHTUKIN, I.V.

Full Title: TEXTBOOK FOR SHIP'S RADIO OPERATOR (2nd ed.)

Transliterated Title: Uchebnoe posobiye dlya sudorogo radio-operatora

Publishing Data

Originating Agency: Main Administration of Educational Institutions of the
Ministry of the Merchant Marine

Publishing House: Publishing House "Morskoy Transport"

Date: 1952

No. pp.: 660

No. of copies: 6,000

Editorial Staff

Editor: Sandler, N.V.

Tech. Ed.: Flaun, M.Ya.

Editor-in-Chief: Bayrashavskiy, M.A.

Appraiser: None.

Text Data

Coverage: The textbook presents a general introduction to various phases of radio science from basic electromagnetic principles and description of early types of spark and vacuum tube radio-apparatus to recent types of receiving and sending radio installations, direction finders, electro-acoustical, amplifying and recording equipment. The final part of the book is related to general ship regulations for radio signal exchanges, minor repairs and adjustment of the radio apparatus and ship radio

1/2

GEORGINOV, K.V.

Uchebnoe posobiye dlya sudorogo radio-operatora

AID 132 - I

Installation. The last chapter of this part gives general information on navigation, astronomy, meteorology and ship construction.

Comments: The book supplies only general and elementary information for the ship's radio operator and does not deal with radar and other modern equipments.

Purpose: The textbook is approved by the Main Administration on Educational Institutions of the Ministry of the Merchant Marine for radio-operators, particularly for self-study.

Facilities: The book is the collective work of teachers of the Leningrad Marine College and of the special courses for the commanding staff of the Merchant Marine.

No. of Russian and Slavic References: 32
Available: A.I.D., Library of Congress.

2/2

GOTLIIB, P.; NEGUS, N.; SHIREANU, B.; GEORGISCU, M.; IONESCU, I.;
PEZANOSKA, A.; MUKHTEN, Z.

Surgical therapy of osseous and osteo-articular tuberculosis
in the Children's Surgical and Orthopedic Clinic in Bucharest.
Chirurgia 15 no.2/3:236 '62.

(TUBERCULOSIS OSTEOARTICULAR surg)

GEORGITSE, Sht.I. [Gheorghita, St.I.]

Plane steady flow of two fluids in a porous medium. Izv.vys.
ucheb.zav.; neft' i gaz 5 no.4:71-74 '62. (MIRA 16:1)

1. Bukharestskiy universitet imeni K.I.Parkhona.
(Oil reservoir engineering)

GEORG / U.S.

GEORGIU, A. S.

GEORGIU, A. S.: "The quality of milk and butter as a function of the green fodder fed to milk cows". Moscow, 1955. Moscow Order of Lenin Agricultural Academy imeni K. A. Timiryazev. (Dissertation for the Degree of Candidate of AGRICULTURAL Sciences)

SO: Knishnaya Letopis' No. 51, 10 December 1955

SOV/112-58-1-57

Translation from: Referativnyy zhurnal, Elektrotehnika, 1958, Nr 1, p 5 (USSR)

AUTHOR: Georgiu, I. Sht.

TITLE: Fourpole as a New Method of Studying 3-Phase Commutator Motors
(Chetyrekhpolyusnik kak novyy metod izucheniya trekhfaznykh kollektornykh dvigateley)

PERIODICAL: Zh. elektrotekhn. i energet. Akad. RNR, 1956, Vol 1, Nr 1, pp 7-22

ABSTRACT: For equivalent-circuit purposes, a 3-phase commutator machine is considered as a combination of a conventional induction machine and a frequency converter. Fourpoles are derived for series- and parallel-excited motors. The fact is allowed for that, with both connections, the winding EMF is a function of brush-shift angle. Both forms of transformer coupling are represented in the fourpoles: a natural transformer coupling between the stator and rotor windings, and a separate transformer in the rotor circuit. On the basis of equivalent fourpoles, some operating conditions of commutator motors (variable ratio of the rotor transformer, brush shift, etc.) have been investigated.

A.I.A.

AVAILABLE: Library of Congress
Card 1/1 1. Electric motors--Analysis

GEORGIU, I.S.

Rumania - Electrification

Electrification of Rumania, Nauka i zhizn' 20 no. 2, 1953.

Monthly List of Russian Accessions, Library of Congress, June 1953. Unclassified.

GEORGIU, Nikolay, inzh.

Development of the electric power industry in the Rumanian people's
Republic. Elektrichestvo no.11:40-46 N '57. (MIRA 10:10)

1. Zamestitel' Ministra tyazheloy promyshlennosti, rukovoditel'
Elektroenergeticheskogo departamenta Rumynskoy Narodnoy Respubliki.
(Rumania--Electric power)

GEORGIU, N. K.

GEORGIU, N. K. "On the duration of rebuilding operations on amputated stumps." Trudy Kishinevsk. gos. med. in-ta, Vol. 1, 1949, p. 291-99.

SC: U-3261, 10 April 53 (Letopis + Zhurnal 'nykh Statey No.11, 1949)

GEORGIU, N. K.

Georgiu, N. K. "Experimental-Morphological Analysis of Pathological Processes, Involving Out of the Results of the Amputation of the Extremities in Dogs." Dr. Med Sci, Acad Med Sci USSR, 19 Jan 54. (Vechernyaya Moskva, 8 Jan. 54)

80: SUM 168, 22 July 1954

GEORGIU, N.K.

Mechanisms of development of post-amputation complications;
experimental morphological investigations. Ortop.travm. i
protes. no.3:22-30 My-Je '55. (MLRA 8:10)

1. Iz laboratorii gistopatologii nervnoy sistemy (sav.prof.
M.L.Borovskiy) Instituta obshchey i eksperimental'noy patologii
(dir. akademik A.D.Speranskiy) AMN SSSR.
(AMPUTATION,
exper.compl.)

GEORGIU, N.K.

[Neurotrophic disorders following amputation of the extremities;
experimental morphological study] Neirotroficheskie narusheniia
posle amputatsii konchnosti; eksperimental'no-morfologicheskoe
issledovanie. Kishinev, Gos. izd-vo Moldavii, 1956. 177 p.

(AMPUTATION)

(MIRA 10:2)

(NERVOUS SYSTEM—DISEASES)

GEORGIU, N.K.

Treatment of cicatricial contracture following burns in children.
Zdravookhranenie 4 no. 2:26-30 My-Ap '61. (MIRA 14:4)

1. Iz kliniki khirurgii detskogo vozrasta (zav. - doktor med.nauk
N.K. Georgiu) i Respublikanskoy detskoy klinicheskoy bol'nitsy
(glavnyy vrach N.T. Gordeyeva).
(BURNS AND SCALDS) (CICATRICES)

GEORGIU, N. K. and POPOVA, N. A.

"On the Diagnosis and Bloodless Reduction of Congenital Hip Dislocations"

report submitted at the Republic Session on Traumatology and Orthopedics,
Kishinev, 9-10 January, 1961

So: Zhravookhrenenive, Kishinev, No. 2, March-April 1961 pages 61-64

GEORGIU, N.K.

Postoperative hyperthermic syndrome in children. Zdravo-
okhranenie 5 no.3:29-33 My-Je '62. (MIRA 16:1)

1. Iz kafedry khirurgii detskogo vozrasta (zav. - prof. N.K.
Georgiu) Kishinevskogo meditsinskogo instituta i Detskoy
respublikanskoy klinicheskoy bol'nitsy (glavnyy vrach S.S.
Strungaru).

(CHILDREN--SURGERY)

(FEVER)

GEORGIU, H.K., prof.

Some problems of specialized surgical service for the children
of Moldavia. Zdravookhraneniye 6 no.1:7-11 J-F'63.

(HHA 16:8)

1. Zaveduyushchiy kafedroy detskoy khirurgii Kishinevskogo
meditsinskogo instituta.

(MOLDAVIA—CHILDREN—SURGERY)

GEORGIU, Oktavian Em. [Gheorghiu, Octavian Em.]

Geometric objects relative to the nonholonomic projective group of X_n spaces. Rev math pures 7 no.3:417-424 '62.

1. Kafedra matematiki Politekhmicheskogo instituta g. Timishoara.

GEORGIU, P.; STORINSKU, V. [Stroescu, V.]; DOBRESKU, D. [Dobrescu, D.]

Mechanism of secretion of the hormones of the adrenal cortex.
Effect of pendionid and chlorpomazine on pain stress. Report
No.1. Farm.1 toks. 22 no.5:421-424 S-O '59. (MIRA 13:3)

1. Farmakologicheskaya laboratoriya bukharestskogo mediko-farmatsevticheskogo instituta.

(MENTONIUM COMPOUNDS pharmacol.)

(CHLORPROMAZINE pharmacol.)

(PAIN exper.)

NICOLAU, C.T., prof.; GORESCU, I., dr.; colaboratori tehnici GEORGIU, T.; SERBAN, C.

Experimental investigations of the etiology of leukoses. I. Induction of leukosis in H mice with acellular filtrates of Ehrlich's ascites carcinoma and transplantable L 10 sarcoma. Med. intern. 3:269-274, Mr '62.

(LEUKEMIA virology)

(NEOPLASMS experimental)

NICOLAU, C.T.; GORESCU, I., dr.; colaboratori tehnici: GECERGIU, T.;
SERBAN, C.

Experimental investigations of the etiology of leukoses. II. Induction
of leukoses in H mice by injections of acellular extracts of bone marrow
from acute human leukoses. Med. intern. 3:275-280 Mr '62.
(LEUKEMIA virology) (BONE MARROW extracts)

GEORGIU, V.

GEORGIU, VALENTIN

GEORGIU, VALENTIN: "Basic forms of rhizosphere bacteria of soy beans, their physiological properties, and relationships between plants and the nodular bacteria of soy beans". Moscow, 1955. Moscow Order of Lenin Agricultural Academy imeni K. A. Timiryazev. (Dissertations for the degree of Candidate of Biological Sciences.)

SO: Knizhnaya Letopis' No. 50 10 December 1955. Moscow.

FEDOROV, M.V., prof., doktor biol.nauk.; GEORGIU, V., kand.biol.nauk.

Specific composition of the rhizospheric bacteria of soybeans, dynamics of their development on the surface of roots and their correlation with the nodule bacteria of soybeans [with summary in English]. Izv. TSRA no.5:117-124 '58. (MIRA 11:11)
(Rhizosphere microbiology) (Micro-organisms, Nitrogen-fixing)

BALLI, D. [Bally, D.]; GEORGIU, Z.; STADNIKOVA, T.

Total effective neutron cross sections of As, Se, Sb, and Te in the
energy range 0.0027 to 0.0100. Atom. energ. 12 no.6:514-519 Je
'62. (MIRA 15:6)

(Neutrons—Spectra)

GEORGIY, N. K.

"Experimental-Morphological Analysis of the Pathological Process which Arises
as a Result of Amputation of the Extremities in the Dog,"

p. 294

Problema Reaktivnosti v Patologii, Medgiz, Moscow, 1954, 344pp.

COUNTRY : BULGARIA
 CATEGORY : Chemical Technology. Chemical Products and Their Uses. Part 3. Synthetic and Natural*
 AHS. JOUR. : RZKhim., No. 1 1960, No. 2139
 AUTHOR : Korkov, D.; Georgiyev, A.
 INST. : Scientific Research Institute of Pharmacy
 TITLE : Preparation of Undecylenic Acid from Castor Oil
 ORIG. PUB. : Zh. Khim. in-t farmatsiya, 1967, 1, 82-84
 ABSTRACT : A method was developed for the preparation of undecylenic acid, used in dermatology, by the thermic decomposition of the methyl ether of ricinoleic acid. The influence of temperature, time during which the decomposition products are in the furnace, pressure, speed of passage
 *Medicinal Substances. Galenicals and Medicinal Forms
 PAGE: 2/3

AHS. JOUR. : RZKhim., No. 1 1960, No. 2139
 AUTHOR :
 INST. :
 TITLE :
 ORIG. PUB. :
 ABSTRACT : of the initial substance, inclination of the furnace and presence of water vapors upon the yield of final products was studied and made precise. It was established that the best yields of undecylenic acid and oenanthic aldehyde (an-anthal) are obtained at 500-530°, residual pressure of 300-400 mm of mercury, comparative-ly high speeds of the passage of ether (500 g/hour) and with furnace inclination of 25-30°.
 PAGE: 2/3

VIKTOROV, M.; GEORGIYEV, A.

Master in his profession. Za bezop.dvizh. no.3:10-11 Mr '60.
(MIRA 13:12)

(Street railways--Employees)

GEORGIYEV, A., podpolkovnik

American plans for the military use of space. Voen.vest. 40
no.10:114-118 0 '60. (MIRA 14:5)
(Space warfare)

PONOMAREV, A., general-polkovnik inzhenerno-tekhnicheskoy sluzhby;
POKROVSKIY, G., prof., doktor tekhnicheskoy sluzhby;
KUAL'DIN, A., dots., kand. tekhnicheskikh nauk inzhener-
polkovnik; MOSTOVENKO, V., dots., kand. tekhnicheskikh nauk
inzhener-polkovnik; GONCHAROV, M., polkovnik; TARANTSOV, A.,
polkovnik; VASIL'YEV, N., polkovnik; GORDEYEV, N., kapitan 1
ranga; KOZIN, K., kapitan 1 ranga; ARKHIPOV, M., dots., kand.
tekhn. nauk inzhener-podpolkovnik; SEDOV, A., dots., kand.
tekhn. nauk, inzhener-podpolkovnik; MELIK-PASHAYEV, N., dots.,
kand. tekhn. nauk, inzhener-podpolkovnik; TIKHOMIROV, Yu., dots.,
kand. tekhn. nauk, inzhener-podpolkovnik; PARFENOV, V., kand.
tekhn. nauk, inzhener-podpolkovnik; GEORGIYEV, A., inzh.-pod-
polkovnik; KRUCHININ, V., inzh.-podpolkovnik; MEKONOSHIN, N.,
inzh.-podpolkovnik; RYKOV, S., inzh.-podpolkovnik; SURIKOV, B.,
inzh.-podpolkovnik; ZHUKOV, V., inzh.-mayor; NOVIKOV, M., inzh.-
mayor; SUSHKOV, Yu., inzh.-kapitan; ASTASHENKOV, P.T., inzh.-
podpolkovnik; VASIL'YEV, A.A., red.; KARYAKINA, M.S., tekhn.
red.

[New advances in military technology for youthful readers] Mo-
lodezhi o novom v voennoi tekhnike. Moskva, Izd-vo DOSAAF,
1961. 342 p. (MIRA 15:2)

(Rockets (Ordnance)) (Atomic weapons)
(Electronics in military engineering)

GEORGIYEV, A. G.

1954. A RECORDING INSTRUMENT WITH ELECTRONIC AMPLIFIER. Georgiyev, A. G.
(Energetik (Pr. Engr., Moscow), Jan. 1957, vol. 5, 13, 14). A device used on
a power station flame is described. A car headlamp shines through the flame on
to a piezoelectric cell. The chief feature is that fouling of the glass
windows on either side of the flame is reduced by arranging for air to be
sucked in behind the glass under the influence of the flame gas part. (L).

GEORGIYEV, A.G., inzh.; MAROV, I.F., inzh.; PETATSKIY, V.I., inzh.;
EDEL'SHTEYN, S.A., inzh.

Automatic regulator for continuous blowdown and recording salinometer
for feed-water. Elek.sta. 28 no.12:13-14 D '57. (MIRA 12:3)
(Boilers) (Feed water)

BOYEV, A.F.; GEORGIYEV, A.G.; MAROV, I.F.

Gas valves for the automatic regulation of gas expended in boilers.
Gas.prom. 5 no.11:24-26 N '60. (MIRA 13:11)
(Gas distribution) (Valves)

GEORGIYEV, A.G.; ZHELYAZKOV, L.D.

Synthesis of β -hydroxy- β -naphthylpropionic esters by means of
Reformatskii reaction. Dokl. AN SSSR 154 no.1:132-135 Ja'64.
(MIRA 17:2)

1. Nauchno-issledovatel'skiy khimiko-farmatsevticheskiy institut,
Sofiya, Bolgariya. Predstavleno akademikom B.A. Kazanskim.

L 26751-66 ENT(m)/T/EWP(t) IJP(c) JD

ACC NR: AP6011481

SOURCE CODE: UR/0070/66/011/002/0349/0352

AUTHOR: Danil'chuk, L. N.; Georgiyev, A. I.

ORG: Novgorod Pedagogical Institute (Novgorodskiy pedagogicheskiy institut)

TITLE: X-ray observations of the transition layer during epitaxial growth of germanium

SOURCE: Kristallografiya, v. 11, no. 2, 1966, 349-352

TOPIC TAGS: germanium, epitaxial growing, x ray study, x ray absorption, crystal dislocation phenomenon

ABSTRACT: The investigated epitaxial layers were grown from the gas phase by the tetrachloride method at 830C on polished germanium plates. The structure of the epitaxial layers was investigated by the anomalous passage of x-rays. Measurement of the integral intensities of the x-rays passing in succession through the substrate with the film as the latter was gradually etched away has shown that the greatest radiation absorption takes place in the transition layer between the substrate and the films. This gave grounds for assuming that the lattice periodicity is disturbed in the substrate-film boundary. The structure of this transition layer was found to depend on the state of the substrate surface prior to the growing, especially the formation of oxidized islands on the substrate surface. The results have shown that heating the substrate for a long time in hydrogen reduces the density of the transition layer, the stresses, and the number of dislocations in the layer. The smaller

Card 1/2

UDC: 548.52

L 26751-66

ACC NR: AF6011481

18 3
the amount of oxygen left in the substrate, the lower the dislocation density in the transition layer. The results also show that not all the dislocations from the substrate move into the epitaxial film, some being stopped by the transition layer. The authors thank Docent T. A. Smorodina for suggesting the problem and Professor N. N. Sheftal for continuous interest in the work. Orig. art. has: 5 figures and 1 table.

SUB CODE: 20/ SUBM DATE: 08Feb65/ ORIG REF: 004/ OTH REF: 007

Card 2/2 *KV*

GEORGIYEV, A.K., aspirant

Elements of the geometrical theory of spiroid gears. Izv.vys.
ucheb.zav.; mashinostr. no.8:37-45 '63. (MIRA 16:11)

1. Izhevskiy mekhanicheskiy institut.

GEORGIYEV, Aleksandr Vasil'yevich; PROKUDENKOV, A.I., red.; TSYPKINA,
I.L., red.; MARAKASOVA, L.P., tekhn. red.

[Progressive experience is beneficial to the whole nation]
Peredovoi opyt - nashe bogatstvo. Moskva, Izd-vo "Sovetskaia
Rossiia," 1962. 106 p. (MIRA 15:4)

1. Pervyy sekretar' Altayskogo krayevogo komiteta Kommunisti-
cheskoy partii Sovetskogo Soyuza (for Georgiyev).
(Altai Territory—Agriculture)

GEORGIYEV, B.S.

Self-propelled collapsible tower scaffold for use in painting buildings.
Rats. i izobr.preil.v strel. no.123:3-5 '55. (MIRA 9:7)
(Scaffolding)(House painting)

GEORGIYEV, D.; YAKSHEV, D.; STOINOV, L.

Importance of tuberculin tests and fluorographic examinations
for the early detection of pulmonary tuberculosis. Probl. tub.
no.1: 42-44 '63. (MIRA 16:5)

1. Iz Okruzhnogo protivotuberkuleznogo dispansera (glavnyy
vrach D.Georgiyev) Stara Zagora, Bolgariya.
(DIAGNOSIS, FLUOROSCOPIC)

GEORGIYEV, D.

Preparations for the winter season. Okhr. truda i sots. strakh.
6 no.9:33 S '63. (MIRA 16:10)

GUMCHEVA, T.; GEORGIYEV, D. (Bolgariya)

Success of irrigation farming in Bulgaria. Nauka i zhisn' 30
no.1:38-40 Ja '63. (MIRA 16:4)

(Bulgaria—Irrigation farming)

GEORGIYEV, F.I., prof.; PROLOVA, O.F.

The physical and the physiological. Moscow 54 no.1:44-47
Ja '65. (RRL 18:2)

COUNTRY : U.S.S.R.
 CATEGORY :
 ABS. JOUR. : RZKham., No. 1959, No. 7273
 AUTHOR : Georgiyev, G.; Stefanov, St.
 INST. :
 TITLE : Production of sanitation-hygiene articles from Feuerston.
 ORIG. PUB. : Izv. vuzov, 1959, 7, No. 14, 14-17
 ABSTRACT : Paste composition formulas and manufacturing technology have been developed for the production of sanitary-hygiene articles (toilets, toilet tiles, etc.) from Feuerston (F), i.e., fire-clay. In the course of the work it was ascertained that shrinkage during drying and firing increases with increasing amount of fireclay. Low shrinkage and adequate quality are obtained on addition of 25-35% fireclay; to avoid extra shrinkage the fireclay must be fired 50-60° higher than firing temperature of F. Quality of the articles is affected by particle size of fireclay; for thin-wall articles it is necessary to increase the amount of fine fraction. Experiments on replacement of
 CARD: 1/4

189

COUNTRY : Bulgaria H-13
 CATEGORY :
 ABS. JOUR. : AZKhim., No. 1959, No. 87273

AUTHOR :
 INST. :
 TITLE :

ORIG. PUB. :

ABSTRACT : 5-10% fireclay by talc yielded no appreciable increase of thermal stability. On testing, the best results were obtained with a paste having the composition (in %): kaolin 44, clay 6, quartz sand 12, feldspar 6, porcelain body 3, fireclay (0-0.5 mm) 24, fireclay (0.5-1.5 mm) 5. To produce slip, 0.7% water glass and 0.12% calcined soda were added to the paste; the slip contains 21.6% water. The paste has good casting characteristics, and produces no flaws on drying and firing. Take-up of body is 2.5-3 times greater than with conventional faience slips. Slightly moist articles are engobed; engobes containing porcelain body were found to be best suited. On engobing by dipping there are

CARD: 2/4

COUNTRY : Bulgaria
CATEGORY :

H-13

ABS. JOUR. : RZKhim., No. 1959, No. 87273

AUTHOR :
INST. :
TITLE :

ORIG. PUB. :

ABSTRACT : added 0.18%, on brush-application of engobe -- 1.5% of carboxymethyl cellulose preparation "Tylose SL600", which promotes thickening and prevents running of engobe down the vertical walls. Maximum thickness of engobe 2.5 mm ; engobing is in multiple layers, zinc oxide being added to the last layer for better bonding between engobe and glaze; top layer can be applied as a mixture of equal parts of engobe and glaze. The articles are coated with a glaze of composition (in %): feldspar 50, dolomite 7, quartz sand 11, ZnO 6, SnO 4, kaolin 4, porcelain body 12, frit 6; glaze and engobe have same coefficient of thermal expansion and air-shrinkage. In glazing, 1.5% carboxymethyl cellulose
CARD: 3/4

190

COUNTRY : Bulgaria B-8
 CATEGORY :
 AEB. JOUR. : AZKhim., No. 1950, No. 35297
 AUTHOR : Trandafelov, D.; Georgiyev, G.
 INST. : University of Sofia
 TITLE : Physico-Chemical Studies of solubility in Aqueous Saline Systems. I. Solubility in Ternary System Ammonium Bromide-Ammonium Sulfate-Water
 ORIG. PUB. : Godishnik Sofiysk. un-t. Fiz.-matem. fak., 1956-1957 (1958), 51, No 3, 71-74, 75-85
 ABSTRACT : By the isothermal solubility method, in an apparatus designed by the authors, with electromagnetic stirring of the sample in a thermostat, a study was made of solubility in the system $\text{NH}_4\text{Br}-(\text{NH}_4)_2\text{SO}_4-\text{H}_2\text{O}$, at $25^\circ \pm 0.02^\circ$. Eutonic was found corresponding to composition of liquid phase with 30.25% by weight of NH_4Br and 18.84% by weight of $(\text{NH}_4)_2\text{SO}_4$.

CARD: 1/1

GEORGIYEV, G.

Jan 53

USSR/Electronics - Receivers

"An Ultrashort-Wave Receiver," G. Georgiyev

Radio, No 1, pp 39-42

Describes a 5-tube receiver with amplitude modulation for the 85-87 Mc band.

Sensitivity for a signal/noise ratio of 10 db is $42\mu\text{v}$ at 85 Mc, $35\mu\text{v}$ at 86 Mc, and $50\mu\text{v}$ at 87 Mc.

253T77

GEORGIYEV, G.

USSR/Electronics - Radio receivers

Card : 1/1 Pub. 89 - 17/24

Authors : Georgiev, G., Leningrad

Title : An Ultrashort-Wave one-tube radio receiver

Periodical : Radio 6, 40 - 42, June 1954

Abstract : An AM radio set, designed to operate on 85 to 87 megacycles frequency-range, is described. The receiver can be supplied either from a separate rectifier or from a power unit of some other receiver or from the power unit of low-frequency amplifier. A graphical presentation of the set, its structural parts and chassis is accompanied by explanatory notes regarding assembling and tuning of the set. Five diagrams including one general circuit diagram.

Institution : ...

Submitted : ...

620670, 8.

PHASE I BOOK EXPLOITATION

POL/4231

Polskie towarzystwo matematyczne

Prace Matematyczne, I, 2 (Mathematical Transactions, Vol. 1, pt. 2).
Warszawa, Państwowe wyd-wo naukowe, 1955. 441 p. 1463 copies printed.
Errata slip inserted.

Editorial Committee: Władysław Orlicz (Chief Ed.), Stefan Drobot (Deputy Chief Ed.), Adam Bielecki, Stanisław Hartman, Jan Mikusiński, Roman Sikorski, Marcell Stark, Hanna Szmyszkowicz, Krzysztof Tatarkiewicz, and Włodzimierz Wrona.

PURPOSE: This book is intended for mathematicians.

COVERAGE: The book consists of a collection of articles on analysis, series, and function theory. Among the topics discussed are: the solution of Diophantine equations, set translation, power series, measure by a function, operational calculus, approximation of a function, and functional spaces. References and summaries in English and Russian are found at the end of most of the articles. No personalities are mentioned.

Card 1/3

Mathematical Transactions, Vol. 1, pt. 2

POL/4231

TABLE OF CONTENTS:

<u>Georgiyev, G.</u> On the Solution in Rational Numbers of Certain Diophantine Equations	201
Mostowski, A. Determination of the Degrees of Certain Algebraic Numbers	239
Urbanik, K. On a Certain Infinite System of Equations	253
Marczewski, E. On Translations of Sets and on a Certain Theorem of Steinhaus	256
Biernacki, M. On a Certain Lacunary Power Series	264
Knapowski, S. On Certain Theorems Concerning Irreducibility of Polynomials	272
Steinhaus, H. On a Certain Power Series	276
Sikorski, R. On the Determination of Measure by a Function of an Elementary Figure	285

Card 2/3

Mathematical Transactions, Vol. 1, pt. 2

POL/4231

Szerszeń, S. Some Properties of the Foci of a Conical,
Revealed by Means of the De La Fresnaye Perspectograph

292

Hartman, S. Almost Periodic Functions

323

Mikusiński, J. Operational Calculus in the Light of Present-Day
Mathematical Trends

344

Życzkowski, M. On the Errors in Approximating a Function by the
First Terms of its Power Series

371

Orlicz, W. On Perfectly Convergent Series in Certain Functional Spaces

393

Reports From Scientific Sessions of the Polish Mathematical Society

415

AVAILABLE: Library of Congress

Card 3/3

AC/vbc/mas
9-16-60

16 3700
16 3400

37500

S/044/62/000/004/008/099
C111/C444

AUTHOR: Georgiyev, G.

TITLE: Differentialgeometric properties of instationary motions in hydrodynamics and in magnetohydrodynamics

PERIODICAL: Referativnyy zhurnal, Matematika, no. 4, 1962, 72-73, abstract 4A447. ("An. stiint. Univ. Iagi", 1960, sec. 1, 6, no. 2, 265-290)

TEXT: A continuation of the investigations of the author (Rzh. Mat, 1961, 3A382) on the geometry of the instationary motions of a liquid by aid of the method of the movable coordinate axes. The set of the velocity vectors of the instationary motion of the liquid defines the field of local cones (v) in the Euclidian three-dimensional space such that the stream lines and the poths of the particles are admissible curves in the filed (v). One investigates several properties of these lines and discusses their connection with the properties of the motion of the liquid. For example, one finds conditions under which the stream lines or the paths of the particles are straight lines. Conditions for the existence of a large class of liquids under certain prescribed suppositions are given. At last one considers the geometrical aspects of some
Card 1/2

Differentialgeometric properties of ... S/044/62/000/004/008/099
C111/C444

kinds of instationary motions (screw motions, motions on some special manifolds, isotaches). Proved is the following theorem: The necessary and sufficient condition in order that the plane of Lamb encloses a oneparametric surface family at any time, is that the velocity field lies in the contact plane on the local cone of the vortex. *f*

[Abstracter's note: Complete translation.]

Card 2/2

5/052/62/000/002/041/052
A001/A101

AUTHORS: Petkov, I., Georgiev, G.

TITLE: The 1-class gravimetric network in Bulgaria

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 2, 1962, 25,
abstract 20161 ("Izv. Geofiz. in-ta Bulg. AN", 1960, vi, 203 - 212,
Bulgarian, Russian and German summaries)

TEXT: The national reference gravimetric network on the territory of Bulgaria consists of 12 stations of the 1st class, two of which are tied to the Bucharest station (Rumania). Separations between neighboring stations are 80 - 180 km. Measurements were carried out with a Gs-11 gravimeter which was transported on an aircraft. The drift of zeropoint of the gravimeter did not exceed 0.07 mgal/hr. 42 connections were carried out, 27 links were determined which form a system of 15 adjacent triangles. Each link was measured 1 - 4 times. Misclosures in triangles did not exceed 0.15 mgal. The network was adjusted by the least-square method. The difference between Bucharest and Sofia ($\Delta g = 285.1$ mgal) measured by the Soviet aerogravimetric expedition was taken for the reference basis. The root-mean-square error of adjusted difference $\Delta g = \pm 0.11$ mgal.

Card 1/2

The 1-class gravimetric network in Bulgaria

S/035/62/000/002/041/052
A001/A101

The authors present the schematic diagram of location of the stations, and measured and adjusted values of Δg .

P. Shokin ✓

[Abstracter's note: Complete translation]

Card 2/2

reports to be submitted to the
1st All-Union Congress of Bio-
chemistry and Cytology, 1964,
Paris, France, 20 Aug-3 Sep

- BRONKHORST, V. Ya. - "The nucleic acids of the nerve cell's nucleus and cytoplasm"
- BRONKHORST, V. Ya., VINOGRADOV, V. V. and KOSYGIN, M. Ya. - "Histochimistry of extramembranous connective tissue in pathological conditions"
- BRONKHORST, V. Ya. - "Some aspects of carbohydrate metabolism of the transitional epithelium"
- BRONKHORST, V. Ya. - "The studies on the cell connective tissue with the aid of phaseolus lectin"
- BRONKHORST, V. Ya., KOSYGIN, M. Ya., KOSYGIN, M. Ya., KOSYGIN, M. Ya. and KOSYGIN, M. Ya. - "Fluorescent fluorescence microscopy in a new field of histochimistry"
- BRONKHORST, V. Ya. - "Histochimical characteristics of epithelial polynucleotide"
- BRONKHORST, V. Ya. - "The determination of allotypic groups of proteins by means of the isoelectric indicator (chromatography-isoelectric acid method)"
- BRONKHORST, V. Ya. - "Cytological and autoradiographic analysis of the role of nucleic acids in the regulation of cellular proteins"
- BRONKHORST, V. Ya. - "The role of the protein-histochimical composition of connective tissue in the development of connective tissue"
- BRONKHORST, V. Ya. - "Histochimical contribution to the study of the morphological structure of the connective tissue"
- BRONKHORST, V. Ya. - "Some mechanisms controlling the chemical activity of the nervous system"
- (A summary of this report has been received by the organizers of the Congress and is included in Group 2)
- BRONKHORST, V. Ya. - "Histochimistry and the nervous system"
- (This is a prepared report of which the main title is not known, it is listed by general subject matter under Group III)
- BRONKHORST, V. Ya. - "Histochimistry in experimental cancer chemotherapy"
- BRONKHORST, V. Ya. - "Comparative histochimistry of various tissues in their function"
- BRONKHORST, V. Ya. - "Presence of ribonucleoproteins in mitochondria of different animal cells and their functional importance" and "Cytochemical and cytophysical peculiarities of nerve tissues biological organization"
- BRONKHORST, V. Ya. - "Histochimical examinations of connective tissues in the light of recent pathological studies"
- BRONKHORST, V. Ya. - "A comparative physical and chemical characteristics of proteinase and collagenase"
- BRONKHORST, V. Ya. - "Histochimical studies of the connective tissue, changes observed in the course of development of induced sarcoma in rats"
- BRONKHORST, V. Ya. - "Proteinase and nucleic composition of connective tissue"
- BRONKHORST, V. Ya. and KOSYGIN, M. Ya. - "On the role of cell nucleus and its fractions in protein biosynthesis measured by the incorporation of labeled amino acids"

USSR/Human and Animal Physiology - Metabolism.

V-2

Abs Jour : Ref Zhur - Biol., No 1, 1958, 3729 Retz.

Author : I.B. Zbarskiy, G.P. Georgiyev

Inst : -

Title : The Nucleic Acids and Their Biological Role (O.P. Chepino-
ga).

Orig Pub : Vopr. med. khim., 1957, 3, No 2, 150-152

Abstract : No abstract.

Card 1/1

GEORGIEV, G. P., PEREVOGICHKOVA, A. A., and TEBISHLI, I. I.

"Studies on the Proteins of Cell Nuclei."

paper presented at the 4th Intl. Congress of Biochemistry, Vienna, 1-6 Sep 58.

GEORGIYEV, G.P.

Histochemical study of nucleoprotein fractions of cell nuclei
[with summary in English]. Biokhimiia 23 no.5:700-706 S-0 '58
(MIRA 11:11)

1. Institut morfologii zhivotnykh imeni A.N. Severtsova AN SSSR,
Moskva.

(NUCLEOPROTEINS, metab.
cell nuclei (Rus))

(CELL NUCLEUS, metab.
nucleoproteins (Rus))

GEORGIEV, G.P., Cand Biol Sci -- (diss) "Certain data ^{on} ~~from~~ the
chemical composition of nuclear structures." Mos, 1979, 10 pp
(Acad Sci USSR. Inst of Morphology of Animals in A.M. Severtsov)
150 copies (KL, 36-59, 114)

- 30 -

ZBARSKIY, I.B.; GEORGIYEV, G.P.

Recent data on the fractionation cell nuclei of the rat liver and chemical composition of nuclear structures. Biokhimiya 24 no.2: 192-199 Mr-Apr '59. (MIRA 12:7)

1. Institute of Animal Morphology, Academy of Sciences of the U.S.S.R., Moscow.

(LIVER, anat. & histol.

cell nuclei, fractionation & structure (Rus))

(CELL NUCLEUS,

liver, fractionation & structure (Rus))

GRORGIYEV, G.P.

Method for fast isolation of highly polymerized desoxyribo-
nucleic acid. Biokhimiia 24 no.3:472-480 My-Je '59.
(MIRA 12:9)

1. Institute of Animal Morphology, Academy of Sciences of the
U.S.S.R., Moscow.

(DESOXYRIBONUCLEIC ACID, prep. of
rapid synthesis of highly polymerized prep.
(Rus))

ZBARSKIY, I.B.; GECRGIYEV, G.P.

Method for extraction from thin unfixed sections in studying the
histochemistry of cellular structures. TSitologia 2 no.1:95-98
Ja-F '60. (MIRA 13:5)

1. Gruppya biokhimi kletochnykh struktur Instituta morfologii
zhivotnykh AN SSSR, Moskva.

(EXTRACTION (CHEMISTRY))

(TISSUE EXTRACTIONS)

GEORGIYEV, G. P.

"The Cytochemistry of the Biosynthesis of Ribonucleic Acids."

report submitted for the First Conference on the Problems of Cyto and Histochemistry, Moscow, 19-21 Dec 1960.

Institute of Morphology Imeni A. M. Severtsov, Academy of Sciences USSR, Moscow.